



SGS Canada Inc.

P.O. Box 4300 - 185 Concession St.
Lakefield - Ontario - KOL 2H0
Phone: 705-652-2000 FAX: 705-652-6365

Project : PO#017018

April-16-13

OCWA-Trent Valley (Quinte Mohawk School)

Attn : James Taylor

Date Rec. : 09 April 2013
LR Report: CA15121-APR13

Box 20157, 131 St. Paul St.
Belleville, ON
K8N 5V1,

Copy: #1

Phone: 613-962-5454
Fax:pdf-ID Plant

CERTIFICATE OF ANALYSIS
Final Report

Table with 11 columns: Analysis, 1: Analysis Start Date, 2: Analysis Start Time, 3: Analysis Approval Date, 4: Analysis Approval Time, 5: MAC, 6: Half MAC, 7: AO/OG, 8: MDL, 9: NR/TW Treated Water. Rows include various chemical analyses such as Temperature Upon Receipt, Free Chlorine, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Mercury, Selenium, Uranium, Benzene, Carbon tetrachloride, 1,2-Dichlorobenzene, 1,4-Dichlorobenzene, 1,1-Dichloroethylene, 1,2-Dichloroethane, Dichloromethane, Monochlorobenzene, Tetrachloroethylene, Trichloroethylene, Vinyl Chloride, Diquat, Paraquat, Glyphosate, Polychlorinated Biphenyls (PCBs) - Total, Benzo(a)pyrene, Alachlor, Aldicarb, Aldrin + Dieldrin, Aldrin, Dieldrin, Atrazine + N-dealkylated metabolites, Atrazine, Desethyl atrazine, and Azinphos-methyl.

Online LIMS

SGS Canada Inc.

P.O. Box 4300 - 185 Concession St.
 Lakefield - Ontario - KOL 2H0
 Phone: 705-652-2000 FAX: 705-652-6365

Project : PO#017018

LR Report : CA15121-APR13

Analysis	1: Analysis Start Date	2: Analysis Start Time	3: Analysis Approval Date	4: Analysis Approval Time	5: MAC	6: Half MAC	7: AO/OG	8: MDL	9: NR/TW Treated Water
Bendiocarb [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	40	20	---	0.01	0.01 <MDL
Carbaryl [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	90	45	---	0.01	0.01 <MDL
Carbofuran [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	90	45	---	0.01	0.01 <MDL
Chlordane (total) [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	7	3.5	---	0.01	0.01 <MDL
a-chlordane [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	--	--	---	0.01	0.01 <MDL
g-chlordane [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	--	--	---	0.01	0.01 <MDL
Oxychlordane [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	--	--	---	0.01	0.01 <MDL
Chlorpyrifos [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	90	45	---	0.02	0.02 <MDL
Cyanazine [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	10	5	---	0.03	0.03 <MDL
Diazinon [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	20	10	---	0.02	0.02 <MDL
(DDT) + Metabolites [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	30	15	---	0.01	0.01 <MDL
op-DDT [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	--	--	---	0.01	0.01 <MDL
pp-DDD [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	--	--	---	0.01	0.01 <MDL
pp-DDE [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	--	--	---	0.01	0.01 <MDL
pp-DDT [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	--	--	---	0.01	0.01 <MDL
Dimethoate [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	20	10	---	0.03	0.03 <MDL
Diuron [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	150	75	---	0.03	0.03 <MDL
Heptachlor + Heptachlor Epoxide [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	3	1.5	---	0.01	0.01 <MDL
Heptachlor [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	--	--	---	0.01	0.01 <MDL
Heptachlor epoxide [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	--	--	---	0.01	0.01 <MDL
Lindane [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	4	2	---	0.01	0.01 <MDL
Malathion [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	190	95	---	0.02	0.02 <MDL
Methoxychlor [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	900	450	---	0.01	0.01 <MDL
Metolachlor [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	50	25	---	0.01	0.01 <MDL
Metribuzin [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	80	40	---	0.02	0.02 <MDL
Parathion [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	50	25	---	0.02	0.02 <MDL
Phorate [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	2	1	---	0.01	0.01 <MDL
Prometryne [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	1	0.5	---	0.03	0.03 <MDL
Simazine [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	10	5	---	0.01	0.01 <MDL
Temephos [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	280	140	---	0.01	0.01 <MDL
Terbufos [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	1	0.5	---	0.01	0.01 <MDL
Triallate [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	230	115	---	0.01	0.01 <MDL
Trifluralin [ug/L]	11-Apr-13	07:41	16-Apr-13	13:47	45	22.5	---	0.02	0.02 <MDL
2,4-dichlorophenoxyacetic acid (2,4-D) [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	100	50	---	0.19	0.19 <MDL
2,4,5-trichlorophenoxyacetic acid (2,4,5-T) [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	280	140	20	0.22	0.22 <MDL
Bromoxynil [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	5	2.5	---	0.33	0.33 <MDL
Dicamba [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	120	60	---	0.20	0.20 <MDL
Diclofop-methyl [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	9	4.5	---	0.40	0.40 <MDL
Dinoseb [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	10	5	---	0.36	0.36 <MDL
Picloram [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	190	95	---	1	1 <MDL
2,4-dichlorophenol [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	900	450	0.3	0.15	0.15 <MDL
2,4,6-trichlorophenol [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	5	2.5	2	0.25	0.25 <MDL
2,3,4,6-tetrachlorophenol [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	100	50	1	0.14	0.14 <MDL
Pentachlorophenol [ug/L]	10-Apr-13	07:44	11-Apr-13	15:43	60	30	30	0.15	0.15 <MDL


SGS Canada Inc.

P.O. Box 4300 - 185 Concession St.
Lakefield - Ontario - K0L 2H0
Phone: 705-652-2000 FAX: 705-652-6365

Project : PO#017018

LR Report : CA15121-APR13

Total and/or Free Residual Chlorine was not analyzed by SGS Environmental Services.
MAC - Maximum Acceptable Concentration
Half MAC - Half of the Maximum Acceptable Concentration
AO/OG - Aesthetic Objective / Operational Guideline
MDL - SGS Method Detection Limit



Carrie Greenlaw
Project Specialist
Environmental Services, Analytical